



STATE OF WASHINGTON
GAMBLING COMMISSION

"Protect the Public by Ensuring that Gambling is Legal and Honest"

February 25, 2010

Jay Gerow
ZDI Gaming, Inc.
4117 NE Minnehaha St.
Vancouver, WA 98661

Dear Mr. Gerow:

On December 31, 2009, we concluded our review of the ZDI VIP version 3.5.1 and you reimbursed us for the cost of our review in accordance with WAC 230-06-050(2). The ZDI VIP version 3.5.1 is a modified version of the 3.5.0 device that was already in the Electronic Gambling Lab (EGL).

This determination is based solely on the information contained in the ZDI VIP (versions 3.5.0/3.5.1) submissions. Accordingly, ZDI VIP version 3.5.1 is approved for use in the State of Washington with the following conditions.

- 1) VIP Player Terminal Version 3.5.1 signatures are:
 - a. "PT4_3.5.1.exe", "MD5", "3", "CE9DFF53720E1DA12B98674E05A2B198"
 - b. "PT4_3.5.1.exe", "SHA1", "4", "A917ABD48A3ECBE60979133A153C160119628B2F"
 - c. "Veeterm.exe", "MD5", "3", "6C5A9A51694260E724DE2AB3F0E206C3"
 - d. "Veeterm.exe", "SHA1", "4", "30E9539E22BDA8FD7FE16504B765F32198BE883E"
- 2) The electronic video pull-tab dispenser operates in accordance with WAC 230-14-047. This includes dispensing the pull-tab to the player without delay. This means that after a player presses the "Play" button, a paper pull-tab is dispensed to the player. The player must be able to manually open the paper pull-tab without additional interaction with the electronic video pull-tab dispenser to determine whether or not the paper pull-tab is a winner. The player cannot be required to watch the electronic video monitor or be further required to interact with the electronic video pull-tab dispenser to determine if the paper pull-tab is a winner.
- 3) Inclusion of language contained in operating instructions and training manuals for operators, licensees, auditors, regulators, etc., warning that if power is shut down or lost to



a terminal, that ticket (pull-tab) count information must be manually gathered and verified by the operator before resuming operation of the progressive pull-tab game series.

Finally, in accordance with WAC 230-06-050(3), any modification to this or any other previously approved ZDI pull-tab dispenser will require you to submit the proposed gambling equipment to this agency for our further review prior to use.

Sincerely,



David Trujillo
Deputy Director

cc: Rick Day, Director
Tina Griffin, Assistant Director, Licensing Operations
Mark Harris, Assistant Director, Field Operations Division
File